

AIPHONE®


JF Series

Hands-free Video Intercom



Reliable Security
Simple Functionality
Sophisticated Design

JF Series



- **Affordable Color Video System**

The JF Series has a color monitor to view images clearly and with greater detail, at black and white video prices.

- **Clear Identification Day & Night**

In low light conditions, the video door station's built-in white LED illuminators will activate. Identify visitors even at night.

- **Both Hands-free & Push-to-Talk**

When a call comes in, press the TALK button to begin hands-free VOX (voice operated exchange) communication.

- **LED Indicates Who is Speaking**

The LED lights turn on when talking to visitors and turn off when listening, making communication easy.

- **Option Button**

Controls an external device, such as an outdoor entrance light or secondary door release (with supplied option connector)

NOTE: Not available on JF-2SD



JFS-2AED Includes:

JF-DA - Door Station
JF-2MED - Inside Master Station
PS-1820UL - Power Supply


JFS-2AEDV Includes:

JF-DV - Door Station
JF-2MED - Inside Master Station
PS-1820UL - Power Supply

JFS-2AEDF Includes:

JF-DVF - Door Station
JF-2MED - Inside Master Station
PS-1820UL - Power Supply

Identify visitors safely *from inside*



JF-2MED

Master Station H: 7" x W:
5-5/16" x D: 1-1/16"

Expand inside...

4
Wires



JF-2HD

Sub Master
Station
H: 7" x W: 5-5/16" x D: 1-1/16"

4
Wires



JF-2HD

Sub Master
Station

or



JF-2SD

Audio Only
Sub Master Station
H: 6-5/16" x W: 3-9/16" x D: 1"

JF-2SD

Audio Only
Sub Master
Station



Add a door station outside...



JF-DV

Door Station,
zinc die cast,
surface mount
H: 6-13/16" x W: 3-7/8" x D: 1-1/16"



JF-DA

Door Station,
plastic cover,
surface mount
H: 5-1/8" x W: 3-7/8" x D: 1-9/16"



JF-D -Audio Only

Door Station,
plastic cover,
surface mount
H: 5-1/8" x W: 3-7/8" x D: 1-1/8"



JF-DVF

Door Station,
stainless steel,
flush mount
H: 8-1/4" x W: 5-5/16" x D: 1-3/4"



Door Stations with
Embedded Card Readers,
stainless steel, flush mount
H: 11-5/8" x W: 5-3/4" x D: 1-7/8"

JF-DVF-HID

Embedded HID® ProxPoint®
Plus proximity card reader

JF-DVF-HID-I

Embedded HID® iCLASS®
smart card reader

JF-DVF-XP

Embedded stand-alone
card reader & host controller

Markets

Commercial

Controlled entrances, interior offices,
retail stores, parking garages, loading
docks, and employee only areas.



Educational

Primary and secondary schools,
college campuses, controlled entrances,
service areas, and faculty rooms.



Government

Local, state, and federal government
branches, courtroom security,
airports, and embassies.



Healthcare

Hospitals, medical clinics, administrative
offices, exam rooms, nurseries,
pharmacies, and staff lounges.



Residential

Single-family residences, gated entries,
housing developments, and multi-tenant
buildings with individual entrances.



JF Series

Features & Functions

Simple. Sophisticated. Security.

DOOR

2

INSIDE

3



Picture Memory

Automatically record images of visitors who press the CALL button or manually record images anytime by pressing the REC button.

Voice Memo

Easily record and play back a short message for someone or a reminder for yourself using the Voice Memo feature. Up to 3 voice memos at 15 seconds each can be recorded.

Easy Installation

Only 2 wires to connect between door station and master station.

Auto LED illumination

When environmental conditions are dim, these LEDs automatically turn on so visitors can still be seen, even in the dark.

Custom Entrance Messages

Remain anonymous. Pre-record up to 2 audio messages to be manually played at a door station when anyone inside chooses not to be identified.

Monitor Activities Outside

Discreetly keep an eye out for suspicious behavior through the door station lens.

Hands-free Communication

Simply push the button for VOX communication or hold down for Push-to-Talk.



Boxed Sets & Accessories



Easy-to-Install Boxed Sets =
1 door + 1 master + 1 power supply

JFS-2AED: JF-DA, JF-2MED, PS-1820UL

JFS-2AEDV: JF-DV, JF-2MED PS-1820UL

JFS-2AEDF: JF-DVF, JF-2MED, PS-1820UL



AC-10S
Access Control Keypad,
die cast to match JF-DV



MKW-P
1-Gang Mounting
Plate for JF-DV



EL-12S
Electric Door Strike,
12V AC/DC, 200mA



RY-18L
Form C Door
Release Relay
(1 per door)



RY-3DL
Selective
Door Release
Adaptor



MCW-S/A
Monitor Desk Stand



XP Kit
Includes keypad (XRP3),
programming cards, and
10 blank entry cards

Distributed by:

91260 JF Series 06/2010



ISO-14001
Certified



Aiphone Co. Ltd.

ISO 9001:2008
Certified



Aiphone Corp.

Deming
Prize



Aiphone Co. Ltd.

AIPHONE®

1700 130th Ave. NE
Bellevue, WA 98005
Ph: (800) 692-0200
Fax: (425) 455-0071

www.aiphone.com